

# Список литературы

1. Савельева Г.М., Сухих Г.Т. Серов В.Н. Акушерство. Национальное руководство. 2-е издание. 2018. 1735 стр.
2. Клинические рекомендации «Венозные осложнения во время беременности и послеродовом периоде. Акушерская тромбоэмболия» 2022 г. [https://cr.menzdrav.gov.ru/recomend/723\\_1](https://cr.menzdrav.gov.ru/recomend/723_1).
3. Whitehead S.A., Andrews P.L.R., Chamberlain G.V.P. Characterisation of nausea and vomiting in early pregnancy: a survey of 1000 women. *J Obstet Gynaecol (Lahore)*. 1992; 12(6):364–9. <https://dx.doi.org/10.3109/01443619209025932>.
4. Gadsby R., Barnie-Adshead A.M., Jagger C. A prospective study of nausea and vomiting during pregnancy. *Br J Gen Pract*. 1993; 43(371):245–8.
5. Marrero J.M., Goggin P.M., de Caestecker J.S., Pearce J.M., Maxwell J.D. Determinants of pregnancy heartburn. *Br J Obstet Gynaecol*. 1992; 99(9):731–4. <https://dx.doi.org/10.1111/j.1471-0528.1992.tb13873.x>.
6. Knudsen A., Lebech M., Hansen M. Upper gastrointestinal symptoms in the third trimester of the normal pregnancy. *Eur J Obstet Gynecol Reprod Biol*. 1995; 60(1):29–33. [https://dx.doi.org/10.1016/0028-2243\(95\)02069-1](https://dx.doi.org/10.1016/0028-2243(95)02069-1).
7. Bainbridge E.T., Temple J.G., Nicholas S.P., Newton J.R., Boriah V. Symptomatic gastro-oesophageal reflux in pregnancy. A comparative study of white Europeans and Asians in Birmingham. *Br J Clin Pract*. 1983; 37(2):53–7.
8. Meyer L.C., Peacock J.L., Bland J.M., Anderson H.R. Symptoms and health problems in pregnancy: their association with social factors, smoking, alcohol, caffeine and attitude to pregnancy. *Paediatr Perinat Epidemiol*. 1994; 8(2):145–55. <https://dx.doi.org/10.1111/j.1365-3016.1994.tb00445.x>.
9. Клинические рекомендации “Запор” 2021 г. [https://cr.menzdrav.gov.ru/recomend/274\\_2](https://cr.menzdrav.gov.ru/recomend/274_2).
10. Abramowitz L., Sobhani I., Benifla J.L., Vuagnat A., Daraï E., Mignon M., et al. Anal fissure and thrombosed external hemorrhoids before and after delivery. *Dis Colon Rectum*. 2002; 45(5):650–5. <https://dx.doi.org/10.1007/s10350-004-6262-5>.
11. Krajcar J., Radaković B., Stefanić L. Pathophysiology of venous insufficiency during pregnancy. *Acta Med Croatica*. 1998; 52(1):65–9.
12. Клинические рекомендации “Варикозное расширение вен нижних конечностей” 2021 г. [https://cr.menzdrav.gov.ru/recomend/680\\_1](https://cr.menzdrav.gov.ru/recomend/680_1).
13. Greenwood C.J., Stainton M.C. Back pain/discomfort in pregnancy: invisible and forgotten. *J Perinat Educ*. 2001; 10(1):1–12. <https://dx.doi.org/10.1624/105812401X88002>.

14. Kristiansson P., Svärdsudd K., von Schoultz B. Back pain during pregnancy: a prospective study. *Spine (Phila Pa 1976)*. 1996; 21(6):702–9.
15. Stapleton D.B., MacLennan A.H., Kristiansson P. The prevalence of recalled low back pain during and after pregnancy: a South Australian population survey. *Aust N Z J Obstet Gynaecol*. 2002; 42(5):482–5. <https://dx.doi.org/10.1111/j.0004-8666.2002.00482.x>.
16. Owens K., Pearson A., Mason G. Symphysis pubis dysfunction--a cause of significant obstetric morbidity. *Eur J Obstet Gynecol Reprod Biol*. 2002; 105(2):143–6. [https://dx.doi.org/10.1016/s0301-2115\(02\)00192-6](https://dx.doi.org/10.1016/s0301-2115(02)00192-6).
17. Voitk A.J., Mueller J.C., Farlinger D.E., Johnston R.U. Carpal tunnel syndrome in pregnancy. *Can Med Assoc J*. 1983; 128(3):277–81.
18. Padua L., Aprile I., Caliandro P., Carboni T., Meloni A., Massi S., et al. Symptoms and neurophysiological picture of carpal tunnel syndrome in pregnancy. *Clin Neurophysiol*. 2001; 112(10):1946–51. [https://dx.doi.org/10.1016/s1388-2457\(01\)00637-x](https://dx.doi.org/10.1016/s1388-2457(01)00637-x).
19. National Collaborating Centre for Women's and Children's Health. Antenatal care. Routine care for the healthy pregnant woman. 2nd ed. London NW1 4RG: RCOG Press; 2008. 428 p.
20. Rong K., Yu K., Han X., Szeto I.M.Y., Qin X., Wang J., et al. Pre-pregnancy BMI, gestational weight gain and postpartum weight retention: a meta-analysis of observational studies. *Public Health Nutr*. 2015; 18(12):2172–82. <https://dx.doi.org/10.1017/S1368980014002523>.
21. Carlson N.S., Leslie S.L., Dunn A. Antepartum Care of Women Who Are Obese During Pregnancy: Systematic Review of the Current Evidence. *J Midwifery Womens Health*. 2018; 63(3):259–72. <https://dx.doi.org/10.1111/jmwh.12758>.
22. McAuliffe F.M., Killeen S.L., Jacob C.M., Hanson M.A., Hadar E., McIntyre H.D., et al. Management of prepregnancy, pregnancy, and postpartum obesity from the FIGO Pregnancy and Non-Communicable Diseases Committee: A FIGO (International Federation of Gynecology and Obstetrics) guideline. *Int J Gynecol Obstet*. 2020; 151(S1):16–36. <https://dx.doi.org/10.1002/ijgo.13334>.
23. Langley-Evans S.C., Pearce J., Ellis S. Overweight, obesity and excessive weight gain in pregnancy as risk factors for adverse pregnancy outcomes: A narrative review. *J Hum Nutr Diet*. 2022; 35(2):250–64. <https://dx.doi.org/10.1111/jhn.12999>.
24. American Academy of Pediatrics and the American College of Obstetricians and Gynecologists. Guidelines for perinatal care. 8th ed. Elk Grove Village, IL; Washington, DC; 2017.
25. Nissaisorakarn P., Sharif S., Jim B. Hypertension in Pregnancy: Defining Blood Pressure Goals and the Value of Biomarkers for Preeclampsia. *Curr Cardiol Rep*. 2016; 18(12):131. <https://dx.doi.org/10.1007/s11886-016-0782-1>.

26. Metoki H., Iwama N., Ishikuro M., Satoh M., Murakami T., Nishigori H. Monitoring and evaluation of out-of-office blood pressure during pregnancy. *Hypertens Res.* 2017; 40(2):107–9. <https://dx.doi.org/10.1038/hr.2016.112>.
27. Клинические рекомендации «Преэклампсия. Эклампсия. Отеки, протеинурия и гипертензивные расстройства во время беременности, в родах и послеродовом периоде» 2021 г. [https://cr.minzdrav.gov.ru/recomend/637\\_1](https://cr.minzdrav.gov.ru/recomend/637_1).
28. Odedina S.O., Ajayi I.O., Adeniji-Sofoluwe A., Morhason-Bello I.O., Huo D., Olopade O.I., et al. A longitudinal study of the prevalence and characteristics of breast disorders detected by clinical breast examination during pregnancy and six months postpartum in Ibadan, Southwestern Nigeria. *BMC Womens Health.* 2018; 18(1):152. <https://dx.doi.org/10.1186/s12905-018-0647-4>.
29. Lauby-Secretan B., Scoccianti C., Loomis D., Benbrahim-Tallaa L., Bouvard V., Bianchini F., et al. Breast-Cancer Screening — Viewpoint of the IARC Working Group. *N Engl J Med.* 2015; 372(24):2353–8. <https://dx.doi.org/10.1056/NEJMsr1504363>.
30. Клинические рекомендации «Добропачественная дисплазия молочной железы» 2020 г. [https://cr.minzdrav.gov.ru/recomend/598\\_1](https://cr.minzdrav.gov.ru/recomend/598_1).
31. Клинические рекомендации “Выкидыш” 2021 г. [https://cr.minzdrav.gov.ru/recomend/670\\_1](https://cr.minzdrav.gov.ru/recomend/670_1).
32. Клинические рекомендации “Истмико-цервикальная недостаточность” 2021 г.[https://cr.minzdrav.gov.ru/recomend/671\\_1](https://cr.minzdrav.gov.ru/recomend/671_1).
33. Клинические рекомендации “Преждевременные роды” 2020 г. [https://cr.minzdrav.gov.ru/recomend/331\\_1](https://cr.minzdrav.gov.ru/recomend/331_1).
34. Lenihan J.P. Relationship of antepartum pelvic examinations to premature rupture of the membranes. *Obstet Gynecol.* 1984; 63(1):33–7.
35. Savitz D.A., Terry J.W., Dole N., Thorp J.M., Siega-Riz A.M., Herring A.H. Comparison of pregnancy dating by last menstrual period, ultrasound scanning, and their combination. *Am J Obstet Gynecol.* 2002; 187(6):1660–6. <https://dx.doi.org/10.1067/mob.2002.127601>.
36. Olesen A.W., Thomsen S.G. Prediction of delivery date by sonography in the first and second trimesters. *Ultrasound Obstet Gynecol.* 2006; 28(3):292–7. <https://dx.doi.org/10.1002/uog.2793>.
37. Neufeld L.M., Haas J.D., Grajéda R., Martorell R. Last menstrual period provides the best estimate of gestation length for women in rural Guatemala. *Paediatr Perinat Epidemiol.* 2006; 20(4):290–8. <https://dx.doi.org/10.1111/j.1365-3016.2006.00741.x>.
38. Johnsen S.L., Rasmussen S., Sollien R., Kiserud T. Accuracy of second trimester fetal head circumference and biparietal diameter for predicting the time of spontaneous birth. *J Perinat Med.* 2006; 34(5):367–70. <https://dx.doi.org/10.1515/JPM.2006.074>.

39. Majola L., Budhram S., Govender V., Naidoo M., Godlwana Z., Lombard C., et al. Reliability of last menstrual period recall, an early ultrasound and a Smartphone App in predicting date of delivery and classification of preterm and post-term births. *BMC Pregnancy Childbirth*. 2021; 21(1):493. <https://dx.doi.org/10.1186/s12884-021-03980-6>.
40. Mohamed M., McCormick C.A., Foo A., Meaney S., O' Donoghue K. Dating Ultrasounds are Fundamental to Modern Obstetric Care. *Ir Med J.* 2022; 115(4):582.
41. Verburg B.O., Steegers E.A.P., De Ridder M., Snijders R.J.M., Smith E., Hofman A., et al. New charts for ultrasound dating of pregnancy and assessment of fetal growth: longitudinal data from a population-based cohort study. *Ultrasound Obstet Gynecol.* 2008; 31(4):388–96. <https://dx.doi.org/10.1002/uog.5225>.
42. Pillay P., Janaki S., Manjila C. A Comparative Study of Gravidogram and Ultrasound in Detection of IUGR. *J Obstet Gynaecol India.* 2012; 62(4):409–12. <https://dx.doi.org/10.1007/s13224-012-0292-z>.
43. Antenatal care for uncomplicated pregnancies (CG62). NICE 2019 (<https://www.nice.org.uk/terms-andconditions#notice-of-rights>).
44. Thorp J.M., Jenkins T., Watson W. Utility of Leopold maneuvers in screening for malpresentation. *Obstet Gynecol.* 1991; 78(3 Pt 1):394–6.
45. Lydon-Rochelle M., Albers L., Gorwoda J., Craig E., Qualls C. Accuracy of Leopold maneuvers in screening for malpresentation: a prospective study. *Birth.* 1993; 20(3):132–5. <https://dx.doi.org/10.1111/j.1523-536x.1993.tb00437.x>.
46. Webb S.S., Plana M.N., Zamora J., Ahmad A., Earley B., Macarthur C., et al. Abdominal palpation to determine fetal position at labor onset: a test accuracy study. *Acta Obstet Gynecol Scand.* 2011; 90(11):1259–66. <https://dx.doi.org/10.1111/j.1600-0412.2011.01226.x>.
47. Mangesi L., Hofmeyr G.J., Smith V., Smyth R.M.D. Fetal movement counting for assessment of fetal wellbeing. *Cochrane database Syst Rev.* 2015; 15;(10):CD004909. <https://dx.doi.org/10.1002/14651858.CD004909.pub3>.
48. Volmink J., Siegfried N.L., van der Merwe L., Brocklehurst P. Antiretrovirals for reducing the risk of mother-to-child transmission of HIV infection. *Cochrane database Syst Rev.* 2007; (1):CD003510. <https://dx.doi.org/10.1002/14651858.CD003510.pub2>.
49. Sexually Transmitted Diseases: Summary of 2015 CDC Treatment Guidelines. *J Miss State Med Assoc.* 2015; 56(12):372–5.
50. Workowski K.A., Berman S.M. CDC sexually transmitted diseases treatment guidelines. *Clin Infect Dis.* 2002; 35(Suppl 2):S135-7. <https://dx.doi.org/10.1086/342100>.

51. Tan W.S., Chow E.P.F., Fairley C.K., Chen M.Y., Bradshaw C.S., Read T.R.H. Sensitivity of HIV rapid tests compared with fourth-generation enzyme immunoassays or HIV RNA tests. AIDS. 2016; 30(12):1951–60. <https://dx.doi.org/10.1097/QAD.0000000000001134>.
52. Smallwood M., Vijh R., Nauche B., Lebouché B., Joseph L., Pant Pai N. Evaluation of a Rapid Point of Care Test for Detecting Acute and Established HIV Infection, and Examining the Role of Study Quality on Diagnostic Accuracy: A Bayesian Meta-Analysis. Schmidt RL, editor. PLoS One. 2016; 11(2):e0149592. <https://dx.doi.org/10.1371/journal.pone.0149592>.
53. Санитарно-эпидемиологические правила «Профилактика ВИЧ-инфекции» (постановление Главного государственного врача РФ от 11 января 2011 г. №1, ред. от 21.07.2016 г.).
54. Wong V.C., Ip H.M., Reesink H.W., Lelie P.N., Reerink-Brongers E.E., Yeung C.Y., et al. Prevention of the HBsAg carrier state in newborn infants of mothers who are chronic carriers of HBsAg and HBeAg by administration of hepatitis-B vaccine and hepatitis-B immunoglobulin. Double-blind randomised placebo-controlled study. Lancet (London, England). 1984; 1(8383):921–6. [https://dx.doi.org/10.1016/s0140-6736\(84\)92388-2](https://dx.doi.org/10.1016/s0140-6736(84)92388-2).
55. Шапошникова Е.В., Сапрутько О.О. Хронические вирусные гепатиты В и С и беременность: особенности течения и перинатальные исходы. Медицинский альманах. 2014; 4(34):4C.
56. Walker G.J. Antibiotics for syphilis diagnosed during pregnancy. Cochrane database Syst Rev. 2001; (3):CD001143. <https://dx.doi.org/10.1002/14651858.CD001143>.
57. Watson-Jones D., Gumodoka B., Weiss H., Changalucha J., Todd J., Mugeye K., et al. Syphilis in pregnancy in Tanzania. II. The effectiveness of antenatal syphilis screening and single-dose benzathine penicillin treatment for the prevention of adverse pregnancy outcomes. J Infect Dis. 2002; 186(7):948–57. <https://dx.doi.org/10.1086/342951>.
58. Control and prevention of rubella: evaluation and management of suspected outbreaks, rubella in pregnant women, and surveillance for congenital rubella syndrome. MMWR Recomm reports Morb Mortal Wkly report Recomm reports. 2001; 50(RR-12):1–23.
59. Silver B.J., Guy R.J., Kaldor J.M., Jamil M.S., Rumbold A.R. Trichomonas vaginalis as a cause of perinatal morbidity: a systematic review and meta-analysis. Sex Transm Dis. 2014; 41(6):369–76. <https://dx.doi.org/10.1097/OLQ.0000000000000134>.
60. Heumann C.L., Quilter L.A.S., Eastment M.C., Heffron R., Hawes S.E. Adverse Birth Outcomes and Maternal Neisseria gonorrhoeae Infection: A Population-Based Cohort Study in Washington State. Sex Transm Dis. 2017; 44(5):266–71. <https://dx.doi.org/10.1097/OLQ.0000000000000592>.
61. McDonald H., Brocklehurst P., Parsons J., Vigneswaran R. Antibiotics for treating bacterial vaginosis in pregnancy. Cochrane database Syst Rev. 2003; (2):CD000262. <https://dx.doi.org/10.1002/14651858.CD000262>.

62. Valley L.M., Egli-Gany D., Wand H., Pomat W.S., Homer C.S.E., Guy R., et al. Adverse pregnancy and neonatal outcomes associated with *Neisseria gonorrhoeae*: systematic review and meta-analysis. *Sex Transm Infect.* 2021; 97(2):104–11. <https://dx.doi.org/10.1136/sextrans-2020-054653>.
63. Roberts C.L., Algert C.S., Rickard K.L., Morris J.M. Treatment of vaginal candidiasis for the prevention of preterm birth: a systematic review and meta-analysis. *Syst Rev.* 2015; 4(1):31. <https://dx.doi.org/10.1186/s13643-015-0018-2>.
64. Judd W.J., Luban N.L., Ness P.M., Silberstein L.E., Stroup M., Widmann F.K. Prenatal and perinatal immunohematology: recommendations for serologic management of the fetus, newborn infant, and obstetric patient. *Transfusion.* 1990; 30(2):175–83. <https://dx.doi.org/10.1046/j.1537-2995.1990.30290162907.x>.
65. McBain R.D., Crowther C.A., Middleton P. Anti-D administration in pregnancy for preventing Rhesus alloimmunisation. *Cochrane database Syst Rev.* 2015; 2015(9):CD000020. <https://dx.doi.org/10.1002/14651858.CD000020.pub3>.
66. White J., Qureshi H., Massey E., Needs M., Byrne G., Daniels G., et al. Guideline for blood grouping and red cell antibody testing in pregnancy. *Transfus Med.* 2016; 26(4):246–63. <https://dx.doi.org/10.1111/tme.12299>.
67. ACOG Practice Bulletin No. 192: Management of Alloimmunization During Pregnancy. *Obstet Gynecol.* 2018; 131(3):e82–90. <https://dx.doi.org/10.1097/AOG.0000000000002528>.
68. Клинические рекомендации «Резус-изоиммунизация. Гемолитическая болезнь плода» 2020 г. [https://cr.minzdrav.gov.ru/recomend/596\\_2](https://cr.minzdrav.gov.ru/recomend/596_2).
69. Steer P., Alam M.A., Wadsworth J., Welch A. Relation between maternal haemoglobin concentration and birth weight in different ethnic groups. *BMJ.* 1995; 310(6978):489–91. <https://dx.doi.org/10.1136/bmj.310.6978.489>.
70. Zhou L.M., Yang W.W., Hua J.Z., Deng C.Q., Tao X., Stoltzfus R.J. Relation of hemoglobin measured at different times in pregnancy to preterm birth and low birth weight in Shanghai, China. *Am J Epidemiol.* 1998; 148(10):998–1006. <https://dx.doi.org/10.1093/oxfordjournals.aje.a009577>.
71. Nair M., Churchill D., Robinson S., Nelson-Piercy C., Stanworth S.J., Knight M. Association between maternal haemoglobin and stillbirth: a cohort study among a multi-ethnic population in England. *Br J Haematol.* 2017; 179(5):829–37. <https://dx.doi.org/10.1111/bjh.14961>.
72. Young M.F., Oaks B.M., Tandon S., Martorell R., Dewey K.G., Wendt A.S. Maternal hemoglobin concentrations across pregnancy and maternal and child health: a systematic review and meta-analysis. *Ann N Y Acad Sci.* 2019; 1450(1):47–68. <https://dx.doi.org/10.1111/nyas.14093>.
73. Breymann C. Iron supplementation during pregnancy. *Fetal Matern Med Rev.* 2002; 13(1):1–29. <https://dx.doi.org/10.1017/S0965539502000116>.

74. Рослый И.М., Абрамов С.В. Биохимические показатели крови при физиологической беременности. Вопросы гинекологии, акушерства и перинатологии. 2005; 4(2):71–13.
75. Weinert L.S. International Association of Diabetes and Pregnancy Study Groups recommendations on the diagnosis and classification of hyperglycemia in pregnancy: comment to the International Association of Diabetes and Pregnancy Study Groups Consensus Panel. *Diabetes Care*. 2010; 33(7):e97; author reply e98. <https://dx.doi.org/10.2337/dc10-0544>.
76. Walker J.D. NICE guidance on diabetes in pregnancy: management of diabetes and its complications from preconception to the postnatal period. NICE clinical guideline 63. London, March 2008. *Diabet Med*. 2008; 25(9):1025–7. <https://dx.doi.org/10.1111/j.1464-5491.2008.02532.x>.
77. HAPO Study Cooperative Research Group, Metzger B.E., Lowe L.P., Dyer A.R., Trimble E.R., Chaovarindr U., et al. Hyperglycemia and adverse pregnancy outcomes. *N Engl J Med*. 2008; 358(19):1991–2002. <https://dx.doi.org/10.1056/NEJMoa0707943>.
78. Committee on Practice Bulletins—Obstetrics. Practice Bulletin No. 180: Gestational Diabetes Mellitus. *Obstet Gynecol*. 2017; 130(1):e17–37. <https://dx.doi.org/10.1097/AOG.0000000000002159>.
79. Obesity Management for the Treatment of Type 2 Diabetes: Standards of Medical Care in Diabetes — 2019. *Diabetes Care*. 2019; 42(Supplement\_1):S81–9. <https://dx.doi.org/10.2337/dc19-S008>.
80. Diagnostic Criteria and Classification of Hyperglycaemia First Detected in Pregnancy. WHO Guidelines Approved by the Guidelines Review Committee. Geneva: World Health Organization; 2013.
81. Клинические рекомендации “Гестационный сахарный диабет” 2023 г. [https://roag-portal.ru/projects\\_obstetrics](https://roag-portal.ru/projects_obstetrics).
82. National Collaborating Centre for Women’s and Children’s Health (UK). Diabetes in pregnancy: management of diabetes and its complications from preconception to the postnatal period. NICE Clinical Guidelines, No. 63. London: RCOG Press; 2008.
83. Behboudi-Gandevani S., Amiri M., Bidhendi Yarandi R., Ramezani Tehrani F. The impact of diagnostic criteria for gestational diabetes on its prevalence: a systematic review and meta-analysis. *Diabetol Metab Syndr*. 2019; 11(1):11. <https://dx.doi.org/10.1186/s13098-019-0406-1>.
84. Sun X., Hou N., Wang H., Ma L., Sun J., Liu Y. A Meta-Analysis of Pregnancy Outcomes with Levothyroxine Treatment in Euthyroid Women with Thyroid Autoimmunity. *J Clin Endocrinol Metab*. 2019; . <https://dx.doi.org/10.1210/clinem/dgz217>.
85. Consortium on Thyroid and Pregnancy—Study Group on Preterm Birth, Korevaar T.I.M., Derakhshan A., Taylor P.N., Meima M., Chen L., et al. Association of Thyroid Function Test

Abnormalities and Thyroid Autoimmunity With Preterm Birth: A Systematic Review and Meta-analysis. JAMA. 2019; 322(7):632–41. <https://dx.doi.org/10.1001/jama.2019.10931>.

86. De Groot L., Abalovich M., Alexander E.K., Amino N., Barbour L., Cobin R.H., et al. Management of Thyroid Dysfunction during Pregnancy and Postpartum: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab.* 2012; 97(8):2543–65. <https://dx.doi.org/10.1210/jc.2011-2803>.
87. Alexander E.K., Pearce E.N., Brent G.A., Brown R.S., Chen H., Dosiou C., et al. 2017 Guidelines of the American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and the Postpartum. *Thyroid.* 2017; 27(3):315–89. <https://dx.doi.org/10.1089/thy.2016.0457>.
88. Nazarpour S., Ramezani Tehrani F., Simbar M., Tohidi M., Alavi Majd H., Azizi F. Effects of levothyroxine treatment on pregnancy outcomes in pregnant women with autoimmune thyroid disease. *Eur J Endocrinol.* 2017; 176(2):253–65. <https://dx.doi.org/10.1530/EJE-16-0548>.
89. Nazarpour S., Ramezani Tehrani F., Simbar M., Tohidi M., Minooee S., Rahmati M., et al. Effects of Levothyroxine on Pregnant Women With Subclinical Hypothyroidism, Negative for Thyroid Peroxidase Antibodies. *J Clin Endocrinol Metab.* 2018; 103(3):926–35. <https://dx.doi.org/10.1210/jc.2017-01850>.
90. Клинические рекомендации “Гипотиреоз” 2021 г. [https://cr.minzdrav.gov.ru/recomend/531\\_3](https://cr.minzdrav.gov.ru/recomend/531_3).
91. Stettler R.W., Cunningham F.G. Natural history of chronic proteinuria complicating pregnancy. *Am J Obstet Gynecol.* 1992; 167(5):1219–24. [https://dx.doi.org/10.1016/s0002-9378\(11\)91692-5](https://dx.doi.org/10.1016/s0002-9378(11)91692-5).
92. Morris R.K., Riley R.D., Doug M., Deeks J.J., Kilby M.D. Diagnostic accuracy of spot urinary protein and albumin to creatinine ratios for detection of significant proteinuria or adverse pregnancy outcome in patients with suspected pre-eclampsia: systematic review and meta-analysis. *BMJ.* 2012; 345:e4342. <https://dx.doi.org/10.1136/bmj.e4342>.
93. Sanchez-Ramos L., Gillen G., Zamora J., Stenyakina A., Kaunitz A.M. The protein-to-creatinine ratio for the prediction of significant proteinuria in patients at risk for preeclampsia: a meta-analysis. *Ann Clin Lab Sci.* 2013; 43(2):211–20.
94. Клинические рекомендации “Инфекция мочевых путей при беременности” 2022 г. [https://cr.minzdrav.gov.ru/recomend/719\\_1](https://cr.minzdrav.gov.ru/recomend/719_1).
95. Thangaratinam S., Coomarasamy A., O’Mahony F., Sharp S., Zamora J., Khan K.S., et al. Estimation of proteinuria as a predictor of complications of pre-eclampsia: a systematic review. *BMC Med.* 2009; 7:10. <https://dx.doi.org/10.1186/1741-7015-7-10>.
96. Meggiolaro A., Unim B., Semyonov L., Miccoli S., Maffongelli E., La Torre G. The role of Pap test screening against cervical cancer: a systematic review and meta-analysis. *Clin Ter.* 167(4):124–39. <https://dx.doi.org/10.7417/CT.2016.1942>.

97. Клинические рекомендации “Цервикальная интраэпителиальная неоплазия, эрозия и эктропион шейки матки” 2020 г. [https://cr.minzdrav.gov.ru/recomend/597\\_1](https://cr.minzdrav.gov.ru/recomend/597_1).
98. Smaill F. Antibiotic treatment for symptomatic bacteriuria: antibiotic vs. no treatment for asymptomatic bacteriuria in pregnancy. Cochrane Database Syst R. 2002; (3):1–5.
99. Smaill F.M. Intrapartum antibiotics for Group B streptococcal colonisation. In: Smaill FM, editor. The Cochrane Database of Systematic Reviews. Chichester, UK: John Wiley & Sons, Ltd; 1996. <https://dx.doi.org/10.1002/14651858.CD000115>.
00. Benitz W.E., Gould J.B., Druzin M.L. Antimicrobial prevention of early-onset group B streptococcal sepsis: estimates of risk reduction based on a critical literature review. Pediatrics. 1999; 103(6):e78. <https://dx.doi.org/10.1542/peds.103.6.e78>.
01. Ohlsson A., Shah V.S. Intrapartum antibiotics for known maternal Group B streptococcal colonization. Cochrane database Syst Rev. 2014; (6):CD007467. <https://dx.doi.org/10.1002/14651858.CD007467.pub4>.
02. Клинические рекомендации «Роды однoplодные, самопроизвольное родоразрешение в затылочном предлежании (нормальные роды)» 2021 г. [https://cr.minzdrav.gov.ru/recomend/636\\_1](https://cr.minzdrav.gov.ru/recomend/636_1).
03. Alldred S.K., Takwoingi Y., Guo B., Pennant M., Deeks J.J., Neilson J.P., et al. First and second trimester serum tests with and without first trimester ultrasound tests for Down’s syndrome screening. Cochrane database Syst Rev. 2017; 3:CD012599. <https://dx.doi.org/10.1002/14651858.CD012599>.
04. Кречмар М.В. Особенности пренатального медико-генетического консультирования. Журнал акушерства и женских болезней. 2007; 56(1).
05. García-Pérez L., Linertová R., Álvarez-de-la-Rosa M., Bayón J.C., Imaz-Iglesia I., Ferrer-Rodríguez J., et al. Cost-effectiveness of cell-free DNA in maternal blood testing for prenatal detection of trisomy 21, 18 and 13: a systematic review. Eur J Health Econ. 2018; 19(7):979–91. <https://dx.doi.org/10.1007/s10198-017-0946-y>.
06. Edwards L., Hui L. First and second trimester screening for fetal structural anomalies. Semin Fetal Neonatal Med. 2018; 23(2):102–11. <https://dx.doi.org/10.1016/j.siny.2017.11.005>.
07. Malone F.D., Canick J.A., Ball R.H., Nyberg D.A., Comstock C.H., Bukowski R., et al. First-trimester or second-trimester screening, or both, for Down’s syndrome. N Engl J Med. 2005; 353(19):2001–11. <https://dx.doi.org/10.1056/NEJMoa043693>.
08. Mollison P., Engelfriet C., Contreras M. Haemolytic disease of the fetus and newborn. Blood transfusion in clinical medicine. Oxford: Blackwell Science; 1997. 390–424 p.

09. Brouwers H.A., Overbeeke M.A., van Ertbruggen I., Schaasberg W., Alsbach G.P., van der Heiden C., et al. What is the best predictor of the severity of ABO-haemolytic disease of the newborn? Lancet (London, England). 1988; 2(8612):641–4. [https://dx.doi.org/10.1016/s0140-6736\(88\)90466-7](https://dx.doi.org/10.1016/s0140-6736(88)90466-7).
10. Gilbert R.E., Peckham C.S. Congenital toxoplasmosis in the United Kingdom: to screen or not to screen? J Med Screen. 2002; 9(3):135–41. <https://dx.doi.org/10.1136/jms.9.3.135>.
11. Wallon M., Liou C., Garner P., Peyron F. Congenital toxoplasmosis: systematic review of evidence of efficacy of treatment in pregnancy. BMJ. 1999; 318(7197):1511–4. <https://dx.doi.org/10.1136/bmj.318.7197.1511>.
12. Bolyard E.A., Tablan O.C., Williams W.W., Pearson M.L., Shapiro C.N., Deitchmann S.D. Guideline for infection control in healthcare personnel, 1998. Hospital Infection Control Practices Advisory Committee. Infect Control Hosp Epidemiol. 1998; 19(6):407–63. <https://dx.doi.org/10.1086/647840>.
13. Stagno S., Whitley R. Herpesvirus infections of pregnancy. Part 1: Cytomegalovirus and Epstein-Barr virus infections. N Engl J Med. 1985; 313:1270–4.
14. Alfirevic Z., Navaratnam K., Mujezinovic F. Amniocentesis and chorionic villus sampling for prenatal diagnosis. Cochrane database Syst Rev. 2017; 9:CD003252. <https://dx.doi.org/10.1002/14651858.CD003252.pub2>.
15. Beta J., Lesmes-Heredia C., Bedetti C., Akolekar R. Risk of miscarriage following amniocentesis and chorionic villus sampling: a systematic review of the literature. Minerva Ginecol. 2018; 70(2):215–9. <https://dx.doi.org/10.23736/S0026-4784.17.04178-8>.
16. Akolekar R., Beta J., Picciarelli G., Ogilvie C., D'Antonio F. Procedure-related risk of miscarriage following amniocentesis and chorionic villus sampling: a systematic review and meta-analysis. Ultrasound Obstet Gynecol. 2015; 45(1):16–26. <https://dx.doi.org/10.1002/uog.14636>.
17. Screening for Fetal Chromosomal Abnormalities. Obstet Gynecol. 2020; 136(4):e48–69. <https://dx.doi.org/10.1097/AOG.0000000000004084>.
18. Sukhikh S.G.T., Trofimov T.D.Y., Barkov B.I.Y., Donnikov D.A.E., Shubina S.E.S., Korostin K.D.O., et al. New approaches to prenatal screening for chromosomal abnormalities: Maternal blood DNA screening. Akush Ginekol (Sofia). 2016; 8\_2016:72–8. <https://dx.doi.org/10.18565/aig.2016.8.72-78>.
19. Rodgers S.K., Chang C., DeBardeleben J.T., Horow M.M. Normal and Abnormal US Findings in Early First-Trimester Pregnancy: Review of the Society of Radiologists in Ultrasound 2012 Consensus Panel Recommendations. Radiographics. 35(7):2135–48. <https://dx.doi.org/10.1148/rg.2015150092>.

20. Whitworth M., Bricker L., Mullan C. Ultrasound for fetal assessment in early pregnancy. Cochrane database Syst Rev. 2015; (7):CD007058. <https://dx.doi.org/10.1002/14651858.CD007058.pub3>.
21. Reichlin T., Abächerli R., Twerenbold R., Kühne M., Schaer B., Müller C., et al. Advanced ECG in 2016: is there more than just a tracing? Swiss Med Wkly. 2016; 146:w14303. <https://dx.doi.org/10.4414/smw.2016.14303>.
22. Fetal Monitoring in Practice. 5th Edition - February 16, 2023. Elsevier Health Sciences. Editors: Donald Gibb, Sabaratnam Arulkumaran. 272 p. Paperback ISBN: 9780323931458 eBook ISBN: 9780323931540.
23. Policy. Perinatal Practice Guideline Cervical Insufficiency and Cerclage. SA Maternal, Neonatal & Gynaecology Community of Practice 14 November 2017.
24. Stoll C., Clementi M. Prenatal diagnosis of dysmorphic syndromes by routine fetal ultrasound examination across Europe. Ultrasound Obstet Gynecol. 2003; 21(6):543–51. <https://dx.doi.org/10.1002/uog.125>.
25. van Velzen C.L., Ket J.C.F., van de Ven P.M., Blom N.A., Haak M.C. Systematic review and meta-analysis of the performance of second-trimester screening for prenatal detection of congenital heart defects. Int J Gynecol Obstet. 2018; 140(2):137–45. <https://dx.doi.org/10.1002/ijgo.12373>.
26. Moreno-Cid M., Rubio-Lorente A., Rodríguez M.J., Bueno-Pacheco G., Tenías J.M., Román-Ortiz C., et al. Systematic review and meta-analysis of performance of second-trimester nasal bone assessment in detection of fetuses with Down syndrome. Ultrasound Obstet Gynecol. 2014; 43(3):247–53. <https://dx.doi.org/10.1002/uog.13228>.
27. D'Ambrosio V., Vena F., Marchetti C., Di Mascio D., Perrone S., Boccherini C., et al. Midtrimester isolated short femur and perinatal outcomes: A systematic review and meta-analysis. Acta Obstet Gynecol Scand. 2019; 98(1):11–7. <https://dx.doi.org/10.1111/aogs.13470>.
28. Sun R.C., Hessami K., Krispin E., Pammi M., Mostafaei S., Joyeux L., et al. Prenatal ultrasonographic markers for prediction of complex gastroschisis and adverse perinatal outcomes: a systematic review and meta-analysis. Arch Dis Child - Fetal Neonatal Ed. 2022; 107(4):371–9. <https://dx.doi.org/10.1136/archdischild-2021-322612>.
29. Jansen C.H.J.R., Kleinrouweler C.E., van Leeuwen L., Ruiter L., Limpens J., van Wely M., et al. Final outcome of a second trimester low-positioned placenta: A systematic review and meta-analysis. Eur J Obstet Gynecol Reprod Biol. 2019; 240:197–204. <https://dx.doi.org/10.1016/j.ejogrb.2019.06.020>.
30. Приказ Минздрава России от 20.10.2020 № 1130н "Об утверждении порядка оказания медицинской помощи по профилю "акушерство и гинекология."

31. Miller K.A., Sagaser K.G., Hertenstein C.B., Blakemore K.J., Forster K.R., Lawson C.S., et al. Follow Your Nose. *J Ultrasound Med.* 2023; 42(8):1709–16. <https://dx.doi.org/10.1002/jum.16190>.
32. Maruotti G.M., Saccone G., Martinelli P. Third trimester ultrasound soft-tissue measurements accurately predicts macrosomia. *J Matern Fetal Neonatal Med.* 2017; 30(8):972–6. <https://dx.doi.org/10.1080/14767058.2016.1193144>.
33. Caradeux J., Martinez-Portilla R.J., Peguero A., Sotiriadis A., Figueras F. Diagnostic performance of third-trimester ultrasound for the prediction of late-onset fetal growth restriction: a systematic review and meta-analysis. *Am J Obstet Gynecol.* 2019; . <https://dx.doi.org/10.1016/j.ajog.2018.09.043>.
34. Drukker L., Bradburn E., Rodriguez G., Roberts N., Impey L., Papageorghiou A. How often do we identify fetal abnormalities during routine third-trimester ultrasound? A systematic review and meta-analysis. *BJOG An Int J Obstet Gynaecol.* 2021; 128(2):259–69. <https://dx.doi.org/10.1111/1471-0528.16468>.
35. Sovio U., White I.R., Dacey A., Pasupathy D., Smith G.C.S. Screening for fetal growth restriction with universal third trimester ultrasonography in nulliparous women in the Pregnancy Outcome Prediction (POP) study: a prospective cohort study. *Lancet (London, England).* 2015; 386(10008):2089–97. [https://dx.doi.org/10.1016/S0140-6736\(15\)00131-2](https://dx.doi.org/10.1016/S0140-6736(15)00131-2).
36. Khan N., Ciobanu A., Karampitsakos T., Akolekar R., Nicolaides K.H. Prediction of large-for-gestational-age neonate by routine third-trimester ultrasound. *Ultrasound Obstet Gynecol.* 2019; 54(3):326–33. <https://dx.doi.org/10.1002/uog.20377>.
37. Wanyonyi S.Z., Orwa J., Ozelle H., Martinez J., Atsali E., Vinayak S., et al. Routine third-trimester ultrasound for the detection of small-for-gestational age in low-risk pregnancies (ROTTUS study): randomized controlled trial. *Ultrasound Obstet Gynecol.* 2021; 57(6):910–6. <https://dx.doi.org/10.1002/uog.23618>.
38. Dunn L., Sherrell H., Kumar S. Review: Systematic review of the utility of the fetal cerebroplacental ratio measured at term for the prediction of adverse perinatal outcome. *Placenta.* 2017; 54:68–75. <https://dx.doi.org/10.1016/j.placenta.2017.02.006>.
39. Vollgraff Heidweiller-Schreurs C.A., De Boer M.A., Heymans M.W., Schoonmade L.J., Bossuyt P.M.M., Mol B.W.J., et al. Prognostic accuracy of cerebroplacental ratio and middle cerebral artery Doppler for adverse perinatal outcome: systematic review and meta-analysis. *Ultrasound Obstet Gynecol.* 2018; 51(3):313–22. <https://dx.doi.org/10.1002/uog.18809>.
40. Nassr A.A., Abdelmagied A.M., Shazly S.A.M. Fetal cerebro-placental ratio and adverse perinatal outcome: systematic review and meta-analysis of the association and diagnostic performance. *J Perinat Med.* 2016; 44(2):249–56. <https://dx.doi.org/10.1515/jpm-2015-0274>.

41. Alfirevic Z., Stampalija T., Dowswell T. Fetal and umbilical Doppler ultrasound in high-risk pregnancies. Cochrane database Syst Rev. 2017; 6:CD007529. <https://dx.doi.org/10.1002/14651858.CD007529.pub4>.
42. Grivell R.M., Alfirevic Z., Gyte G.M.L., Devane D. Antenatal cardiotocography for fetal assessment. Cochrane database Syst Rev. 2015; (9):CD007863. <https://dx.doi.org/10.1002/14651858.CD007863.pub4>.
43. Жангереев А.Т. Роль санитарно-просветительной работы в профилактике кариеса зубов и гигиены полости рта у беременных. Клиническая медицина Казахстана. 2012; 2(25).
44. Арабаджян С.И., Анджелова Д.В., Полунина Е.Г., Казарян Э.Э., Щеголева И.В. Роль офтальмологического обследования при беременности. Уральский медицинский журнал. 2018; (1):108–11.
45. Jarde A., Morais M., Kingston D., Giallo R., MacQueen G.M., Giglia L., et al. Neonatal Outcomes in Women With Untreated Antenatal Depression Compared With Women Without Depression. JAMA Psychiatry. 2016; 73(8):826. <https://dx.doi.org/10.1001/jamapsychiatry.2016.0934>.
46. Alder J., Fink N., Bitzer J., Hösli I., Holzgreve W. Depression and anxiety during pregnancy: A risk factor for obstetric, fetal and neonatal outcome? A critical review of the literature. J Matern Neonatal Med. 2007; 20(3):189–209. <https://dx.doi.org/10.1080/14767050701209560>.
47. Pan W.-L., Lin L.-C., Kuo L.-Y., Chiu M.-J., Ling P.-Y. Effects of a prenatal mindfulness program on longitudinal changes in stress, anxiety, depression, and mother–infant bonding of women with a tendency to perinatal mood and anxiety disorder: a randomized controlled trial. BMC Pregnancy Childbirth. 2023; 23(1):547. <https://dx.doi.org/10.1186/s12884-023-05873-2>.
48. Staneva A., Bogossian F., Pritchard M., Wittkowski A. The effects of maternal depression, anxiety, and perceived stress during pregnancy on preterm birth: A systematic review. Women and Birth. 2015; 28(3):179–93. <https://dx.doi.org/10.1016/j.wombi.2015.02.003>.
49. Kadam K.S., Anvekar A.R., Unnithan V.B. Depression, sleep quality, and body image disturbances among pregnant women in India: a cross-sectional study. J Yeungnam Med Sci. 2023; . <https://dx.doi.org/10.12701/jyms.2023.00087>.
50. Chauhan A., Potdar J. Maternal Mental Health During Pregnancy: A Critical Review. Cureus. 2022; . <https://dx.doi.org/10.7759/cureus.30656>.
51. Kang S.J., Yang M.J. Factors influencing pregnancy stress in pregnant women in Korea: a cross-sectional study. Korean J Women Heal Nurs. 2022; 28(1):27–37. <https://dx.doi.org/10.4069/kjwhn.2022.02.03>.
52. Răchită A., Strete G.E., Suciu L.M., Ghiga D.V., Sălcudean A., Mărginean C. Psychological Stress Perceived by Pregnant Women in the Last Trimester of Pregnancy. Int J Environ Res Public Health. 2022; 19(14):8315. <https://dx.doi.org/10.3390/ijerph19148315>.

53. Ghahremani T., Magann E.F., Phillips A., Ray-Griffith S.L., Coker J.L., Stowe Z.N. Women's Mental Health Services and Pregnancy: A Review. *Obstet Gynecol Surv.* 2022; 77(2):122–9. <https://dx.doi.org/10.1097/OGX.0000000000000994>.
54. Matthews A., Haas D.M., O'Mathúna D.P., Dowswell T. Interventions for nausea and vomiting in early pregnancy. *Cochrane database Syst Rev.* 2015; (9):CD007575. <https://dx.doi.org/10.1002/14651858.CD007575.pub4>.
55. Aikins Murphy P. Alternative therapies for nausea and vomiting of pregnancy. *Obstet Gynecol.* 1998; 91(1):149–55. [https://dx.doi.org/10.1016/s0029-7844\(97\)00582-6](https://dx.doi.org/10.1016/s0029-7844(97)00582-6).
56. Keating A., Chez R.A. Ginger syrup as an antiemetic in early pregnancy. *Altern Ther Health Med.* 2002; 8(5):89–91.
57. Jewell D.J., Young G. Interventions for treating constipation in pregnancy. *Cochrane database Syst Rev.* 2001; (2):CD001142. <https://dx.doi.org/10.1002/14651858.CD001142>.
58. Thaler E., Huch R., Huch A., Zimmermann R. Compression stockings prophylaxis of emergent varicose veins in pregnancy: a prospective randomised controlled study. *Swiss Med Wkly.* 2001; 131(45–46):659–62. <https://dx.doi.org/2001/45/swmw-09805>.
59. Pennick V., Liddle S.D. Interventions for preventing and treating pelvic and back pain in pregnancy. *Cochrane database Syst Rev.* 2013; (8):CD001139. <https://dx.doi.org/10.1002/14651858.CD001139.pub3>.
60. Liddle S.D., Pennick V. Interventions for preventing and treating low-back and pelvic pain during pregnancy. *Cochrane database Syst Rev.* 2015; (9):CD001139. <https://dx.doi.org/10.1002/14651858.CD001139.pub4>.
61. Fry D., Hay-Smith J., Hough J., McIntosh J., Polden M., Shepherd J., et al. National clinical guidelines for the care of women with symphysis pubis dysfunction. *Association of Chartered Physiotherapists in Women's Health. Midwives.* 1997; 110(1314):172–3.
62. Shaw R.W. Randomized controlled trial of Syn-Ergel and an active placebo in the treatment of heartburn of pregnancy. *J Int Med Res.* 1978; 6(2):147–51. <https://dx.doi.org/10.1177/030006057800600215>.
63. Lang G.D., Dougall A. Comparative study of Algicon suspension and magnesium trisilicate mixture in the treatment of reflux dyspepsia of pregnancy. *Br J Clin Pract Suppl.* 1989; 66:48–51; discussion 61-4.
64. Wijayanegara H., Mose J.C., Achmad L., Sobarna R., Permati W. A clinical trial of hydroxyethylrutosides in the treatment of haemorrhoids of pregnancy. *J Int Med Res.* 1992; 20(1):54–60. <https://dx.doi.org/10.1177/030006059202000107>.

65. Buckshee K., Takkar D., Aggarwal N. Micronized flavonoid therapy in internal hemorrhoids of pregnancy. *Int J Gynaecol Obstet.* 1997; 57(2):145–51. [https://dx.doi.org/10.1016/s0020-7292\(97\)02889-0](https://dx.doi.org/10.1016/s0020-7292(97)02889-0).
66. Клинические рекомендации “Геморрой” 2020 г. [https://cr.menzdrav.gov.ru/recomend/178\\_1](https://cr.menzdrav.gov.ru/recomend/178_1).
67. Li Z., Gindler J., Wang H., Berry R.J., Li S., Correa A., et al. Folic acid supplements during early pregnancy and likelihood of multiple births: a population-based cohort study. *Lancet (London, England).* 2003; 361(9355):380–4. [https://dx.doi.org/10.1016/s0140-6736\(03\)12390-2](https://dx.doi.org/10.1016/s0140-6736(03)12390-2).
68. De-Regil L.M., Peña-Rosas J.P., Fernández-Gaxiola A.C., Rayco-Solon P. Effects and safety of periconceptional oral folate supplementation for preventing birth defects. *Cochrane database Syst Rev.* 2015; (12):CD007950. <https://dx.doi.org/10.1002/14651858.CD007950.pub3>.
69. Wilson R.D., Genetics Committee, Wilson R.D., Audibert F., Brock J.-A., Carroll J., et al. Pre-conception Folic Acid and Multivitamin Supplementation for the Primary and Secondary Prevention of Neural Tube Defects and Other Folic Acid-Sensitive Congenital Anomalies. *J Obstet Gynaecol Can.* 2015; 37(6):534–52. [https://dx.doi.org/10.1016/s1701-2163\(15\)30230-9](https://dx.doi.org/10.1016/s1701-2163(15)30230-9).
70. Guideline: Daily Iron and Folic Acid Supplementation in Pregnant Women. WHO Guidelines Approved by the Guidelines Review Committee. Geneva: World Health Organization; 2012.
71. Cordero A.M., Crider K.S., Rogers L.M., Cannon M.J., Berry R.J. Optimal serum and red blood cell folate concentrations in women of reproductive age for prevention of neural tube defects: World Health Organization guidelines. *MMWR Morb Mortal Wkly Rep.* 2015; 64(15):421–3.
72. Public Health Committee of the American Thyroid Association, Becker D. V, Braverman L.E., Delange F., Dunn J.T., Franklyn J.A., et al. Iodine supplementation for pregnancy and lactation—United States and Canada: recommendations of the American Thyroid Association. *Thyroid.* 2006; 16(10):949–51. <https://dx.doi.org/10.1089/thy.2006.16.949>.
73. Aghajafari F., Nagulesapillai T., Ronksley P.E., Tough S.C., O’Beirne M., Rabi D.M. Association between maternal serum 25-hydroxyvitamin D level and pregnancy and neonatal outcomes: systematic review and meta-analysis of observational studies. *BMJ.* 2013; 346:f1169. <https://dx.doi.org/10.1136/bmj.f1169>.
74. Wei S.-Q., Qi H.-P., Luo Z.-C., Fraser W.D. Maternal vitamin D status and adverse pregnancy outcomes: a systematic review and meta-analysis. *J Matern Fetal Neonatal Med.* 2013; 26(9):889–99. <https://dx.doi.org/10.3109/14767058.2013.765849>.
75. Hollis B.W., Johnson D., Hulsey T.C., Ebeling M., Wagner C.L. Vitamin D supplementation during pregnancy: Double-blind, randomized clinical trial of safety and effectiveness. *J Bone Miner Res.* 2011; 26(10):2341–57. <https://dx.doi.org/10.1002/jbmr.463>.
76. Palacios C., Trak-Fellermeier M.A., Martinez R.X., Lopez-Perez L., Lips P., Salisi J.A., et al. Regimens of vitamin D supplementation for women during pregnancy. *Cochrane Database Syst*

77. Palacios C., Kostiuk L.K., Peña-Rosas J.P. Vitamin D supplementation for women during pregnancy. Cochrane Database Syst Rev. 2019; . <https://dx.doi.org/10.1002/14651858.CD008873.pub4>.
78. Griffith R.J., Alsweiler J., Moore A.E., Brown S., Middleton P., Shepherd E., et al. Interventions to prevent women from developing gestational diabetes mellitus: an overview of Cochrane Reviews. Cochrane Database Syst Rev. 2020; 2020(9). <https://dx.doi.org/10.1002/14651858.CD012394.pub3>.
79. Lips P. Vitamin D status and nutrition in Europe and Asia. *J Steroid Biochem Mol Biol.* 2007; 103(3–5):620–5. <https://dx.doi.org/10.1016/j.jsbmb.2006.12.076>.
80. Upala S., Sanguankeo A. Low 25-hydroxyvitamin D levels are associated with vitiligo: a systematic review and meta-analysis. *Photodermatol Photoimmunol Photomed.* 2016; 32(4):181–90. <https://dx.doi.org/10.1111/phpp.12241>.
81. Datta P., Philipsen P.A., Idorn L.W., Wulf H.C. Low vitamin D in dark-skinned immigrants is mainly due to clothing habits and low UVR exposure: a Danish observational study. *Photochem Photobiol Sci.* 2021; 20(12):1573–84. <https://dx.doi.org/10.1007/s43630-021-00115-w>.
82. Lu C., Yang J., Yu W., Li D., Xiang Z., Lin Y., et al. Association between 25(OH)D Level, Ultraviolet Exposure, Geographical Location, and Inflammatory Bowel Disease Activity: A Systematic Review and Meta-Analysis. Green J, editor. *PLoS One.* 2015; 10(7):e0132036. <https://dx.doi.org/10.1371/journal.pone.0132036>.
83. Veronese N., Solmi M., Rizza W., Manzato E., Sergi G., Santonastaso P., et al. Vitamin D status in anorexia nervosa: A meta-analysis. *Int J Eat Disord.* 2015; 48(7):803–13. <https://dx.doi.org/10.1002/eat.22370>.
84. Kauser H., Palakeel J.J., Ali M., Chaduvula P., Chhabra S., Lamsal Lamichhane S., et al. Factors Showing the Growing Relation Between Vitamin D, Metabolic Syndrome, and Obesity in the Adult Population: A Systematic Review. *Cureus.* 2022; . <https://dx.doi.org/10.7759/cureus.27335>.
85. Smith E.M., Alvarez J.A., Martin G.S., Zughayer S.M., Ziegler T.R., Tangpricha V. Vitamin D deficiency is associated with anaemia among African Americans in a US cohort. *Br J Nutr.* 2015; 113(11):1732–40. <https://dx.doi.org/10.1017/S0007114515000999>.
86. Yu J., Sharma P., Girgis C.M., Gunton J.E. Vitamin D and Beta Cells in Type 1 Diabetes: A Systematic Review. *Int J Mol Sci.* 2022; 23(22):14434. <https://dx.doi.org/10.3390/ijms232214434>.
87. Клинические рекомендации “Дефицит витамина D” 2023 г. [https://www.endocrincentr.ru/sites/default/files/specialists/science/clinic-recomendations/d\\_2021.pdf](https://www.endocrincentr.ru/sites/default/files/specialists/science/clinic-recomendations/d_2021.pdf).

88. Roth D.E., Morris S.K., Zlotkin S., Gernand A.D., Ahmed T., Shanta S.S., et al. Vitamin D Supplementation in Pregnancy and Lactation and Infant Growth. *N Engl J Med.* 2018; 379(6):535–46. <https://dx.doi.org/10.1056/NEJMoa1800927>.
89. Sammour M.B., El-Kabarty H., Fawzy M.M., Schindler A.E. WHO Recommendations for prevention and treatment of pre-eclampsia and eclampsia. Vol. 97, WHO Recommendations for Prevention and Treatment of Pre-Eclampsia and Eclampsia. 2011. 439–440 p.
90. Wolf H.T., Hegaard H.K., Huusom L.D., Pinborg A.B. Multivitamin use and adverse birth outcomes in high-income countries: a systematic review and meta-analysis. *Am J Obstet Gynecol.* 2017; 217(4):404.e1-404.e30. <https://dx.doi.org/10.1016/j.ajog.2017.03.029>.
91. Christiansen C.H., Høgh S., Rode L., Schroll J.B., Hegaard H.K., Wolf H.T. Multivitamin use and risk of preeclampsia: A systematic review and meta-analysis. *Acta Obstet Gynecol Scand.* 2022; 101(10):1038–47. <https://dx.doi.org/10.1111/aogs.14356>.
92. Balogun O.O., da Silva Lopes K., Ota E., Takemoto Y., Rumbold A., Takegata M., et al. Vitamin supplementation for preventing miscarriage. *Cochrane Database Syst Rev.* 2016; . <https://dx.doi.org/10.1002/14651858.CD004073.pub4>.
93. Keats E.C., Haider B.A., Tam E., Bhutta Z.A. Multiple-micronutrient supplementation for women during pregnancy. *Cochrane database Syst Rev.* 2019; 3:CD004905. <https://dx.doi.org/10.1002/14651858.CD004905.pub6>.
94. Keats E.C., Akseer N., Thurairajah P., Cousens S., Bhutta Z.A., Ali H., et al. Multiple-micronutrient supplementation in pregnant adolescents in low- and middle-income countries: a systematic review and a meta-analysis of individual participant data. *Nutr Rev.* 2022; 80(2):141–56. <https://dx.doi.org/10.1093/nutrit/nuab004>.
95. Jamil O., Gonzalez-Heredia R., Quadri P., Hassan C., Masrur M., Berger R., et al. Micronutrient Deficiencies in Laparoscopic Sleeve Gastrectomy. *Nutrients.* 2020; 12(9):2896. <https://dx.doi.org/10.3390/nu12092896>.
96. Ghishan F.K., Kiela P.R. Vitamins and Minerals in Inflammatory Bowel Disease. *Gastroenterol Clin North Am.* 2017; 46(4):797–808. <https://dx.doi.org/10.1016/j.gtc.2017.08.011>.
97. Lopes S.O., Abrantes L.C.S., Azevedo F.M., Morais N. de S. de, Morais D. de C., Gonçalves V.S.S., et al. Food Insecurity and Micronutrient Deficiency in Adults: A Systematic Review and Meta-Analysis. *Nutrients.* 2023; 15(5):1074. <https://dx.doi.org/10.3390/nu15051074>.
98. Thomas-Valdés S., Tostes M. das G. V., Anunciação P.C., da Silva B.P., Sant'Ana H.M.P. Association between vitamin deficiency and metabolic disorders related to obesity. *Crit Rev Food Sci Nutr.* 2017; 57(15):3332–43. <https://dx.doi.org/10.1080/10408398.2015.1117413>.
99. Pogozheva A. V., Keshabyants E.E., Beketova N.A., Kodentsova V.M., Vrzhesinskaya O.A., Kosheleva O. V. Vitamin content of athletes of various sports: assessment of the diet and blood

serum level. Sport Med Res Pract. 2020; 1(38):58–66. <https://dx.doi.org/10.17238/ISSN2223-2524.2020.1.58>.

- !00. Saccone G., Saccone I., Berghella V. Omega-3 long-chain polyunsaturated fatty acids and fish oil supplementation during pregnancy: which evidence? J Matern Fetal Neonatal Med. 2016; 29(15):2389–97. <https://dx.doi.org/10.3109/14767058.2015.1086742>.
- !01. Serra R., Peñailillo R., Monteiro L.J., Monckeberg M., Peña M., Moyano L., et al. Supplementation of Omega 3 during Pregnancy and the Risk of Preterm Birth: A Systematic Review and Meta-Analysis. Nutrients. 2021; 13(5):1704. <https://dx.doi.org/10.3390/nu13051704>.
- !02. Sun L., Li Y., Xie W., Xue X. Association between omega-3 fatty acid supplementation and lower risk of preterm delivery: a systematic review and meta-analysis. J Matern Neonatal Med. 2022; 35(12):2294–303. <https://dx.doi.org/10.1080/14767058.2020.1785423>.
- !03. Newberry S.J., Chung M., Booth M., Maglione M.A., Tang A.M., O'Hanlon C.E., et al. Omega-3 Fatty Acids and Maternal and Child Health: An Updated Systematic Review. 2016 Oct. <https://dx.doi.org/10.23970/AHRQEPCERTA224>.
- !04. Lehner A., Staub K., Aldakak L., Eppenberger P., Rühli F., Martin R.D., et al. Impact of omega-3 fatty acid DHA and EPA supplementation in pregnant or breast-feeding women on cognitive performance of children: systematic review and meta-analysis. Nutr Rev. 2021; 79(5):585–98. <https://dx.doi.org/10.1093/nutrit/nuaa060>.
- !05. Nevins J.E.H., Donovan S.M., Snetselaar L., Dewey K.G., Novotny R., Stang J., et al. Omega-3 Fatty Acid Dietary Supplements Consumed During Pregnancy and Lactation and Child Neurodevelopment: A Systematic Review. J Nutr. 2021; 151(11):3483–94. <https://dx.doi.org/10.1093/jn/nxab238>.
- !06. Suradom C., Suttajit S., Oon-arom A., Maneeton B., Srisurapanont M. Omega-3 polyunsaturated fatty acid (n-3 PUFA) supplementation for prevention and treatment of perinatal depression: a systematic review and meta-analysis of randomized-controlled trials. Nord J Psychiatry. 2021; 75(4):239–46. <https://dx.doi.org/10.1080/08039488.2020.1843710>.
- !07. Kuper S.G., Abramovici A.R., Jauk V.C., Harper L.M., Biggio J.R., Tita A.T. The effect of omega-3 supplementation on pregnancy outcomes by smoking status. Am J Obstet Gynecol. 2017; 217(4):476.e1-476.e6. <https://dx.doi.org/10.1016/j.ajog.2017.05.033>.
- !08. Hemminki E., Rimpelä U. A randomized comparison of routine versus selective iron supplementation during pregnancy. J Am Coll Nutr. 1991; 10(1):3–10. <https://dx.doi.org/10.1080/07315724.1991.10718119>.
- !09. Cantor A.G., Bougatsos C., Dana T., Blazina I., McDonagh M. Routine Iron Supplementation and Screening for Iron Deficiency Anemia in Pregnancy: A Systematic Review for the U.S. Preventive Services Task Force. Ann Intern Med. 2015; 162(8):566–76. <https://dx.doi.org/10.7326/M14-2932>.

- !10. Siu A.L. Screening for Iron Deficiency Anemia and Iron Supplementation in Pregnant Women to Improve Maternal Health and Birth Outcomes: U.S. Preventive Services Task Force Recommendation Statement. Ann Intern Med. 2015; 163(7):529–36. <https://dx.doi.org/10.7326/M15-1707>.
- !11. Miranda V.I.A., Pizzol T. da S.D., Jesus P.R. de, Silveira M.P.T., Bertoldi A.D. Iron Salts, High Levels of Hemoglobin and Ferritin in Pregnancy, and Development of Gestational Diabetes: A Systematic Review. Rev Bras Ginecol e Obs / RBGO Gynecol Obstet. 2022; 44(11):1059–69. <https://dx.doi.org/10.1055/s-0042-1755460>.
- !12. Клинические рекомендации “Железодефицитная анемия” 2021 г. [https://cr.minzdrav.gov.ru/recomend/669\\_1](https://cr.minzdrav.gov.ru/recomend/669_1).
- !13. McCauley M.E., van den Broek N., Dou L., Othman M. Vitamin A supplementation during pregnancy for maternal and newborn outcomes. Cochrane Database Syst Rev. 2015; 2016(3). <https://dx.doi.org/10.1002/14651858.CD008666.pub3>.
- !14. Dolk H.M., Nau H., Hummler H., Barlow S.M. Dietary vitamin A and teratogenic risk: European Teratology Society discussion paper. Eur J Obstet Gynecol Reprod Biol. 1999; 83(1):31–6. [https://dx.doi.org/10.1016/s0301-2115\(98\)00228-0](https://dx.doi.org/10.1016/s0301-2115(98)00228-0).
- !15. Schmitt C., Domangé B., Torrents R., de Haro L., Simon N. Hypervitaminosis A Following the Ingestion of Fish Liver: Report on 3 Cases from the Poison Control Center in Marseille. Wilderness Environ Med. 2020; 31(4):454–6. <https://dx.doi.org/10.1016/j.wem.2020.06.003>.
- !16. Bastos Maia S., Rolland Souza A., Costa Caminha M., Lins da Silva S., Callou Cruz R., Carvalho dos Santos C., et al. Vitamin A and Pregnancy: A Narrative Review. Nutrients. 2019; 11(3):681. <https://dx.doi.org/10.3390/nu11030681>.
- !17. Donofrio M.T., Moon-Grady A.J., Hornberger L.K., Copel J.A., Sklansky M.S., Abuhamad A., et al. Diagnosis and Treatment of Fetal Cardiac Disease. Circulation. 2014; 129(21):2183–242. <https://dx.doi.org/10.1161/01.cir.0000437597.44550.5d>.
- !18. WHO . Safe Vitamin A Dosage During Pregnancy and Lactation. Recommendations and Report of a Consultation. World Health Organization, The Micronutrient Initiative; Geneva, Switzerland: 1998.
- !19. Miller R.K., Hendrickx A.G., Mills J.L., Hummler H., Wiegand U. Periconceptional vitamin a use: How much is teratogenic? Reprod Toxicol. 1998; 12(1):75–88. [https://dx.doi.org/10.1016/S0890-6238\(97\)00102-0](https://dx.doi.org/10.1016/S0890-6238(97)00102-0).
- !20. Conde-Agudelo A., Romero R., Kusanovic J.P., Hassan S.S. Supplementation with vitamins C and E during pregnancy for the prevention of preeclampsia and other adverse maternal and perinatal outcomes: a systematic review and metaanalysis. Am J Obstet Gynecol. 2011; 204(6):e1-503.e12. <https://dx.doi.org/10.1016/j.ajog.2011.02.020>.

- '21. Rumbold A., Ota E., Hori H., Miyazaki C., Crowther C.A. Vitamin E supplementation in pregnancy. Cochrane database Syst Rev. 2015; (9):CD004069. <https://dx.doi.org/10.1002/14651858.CD004069.pub3>.
- '22. Swaney P., Thorp J., Allen I. Vitamin C Supplementation in Pregnancy—Does It Decrease Rates of Preterm Birth? A Systematic Review. Am J Perinatol. 2013; 31(02):091–8. <https://dx.doi.org/10.1055/s-0033-1338171>.
- '23. Rumbold A., Ota E., Nagata C., Shahrook S., Crowther C.A. Vitamin C supplementation in pregnancy. Cochrane database Syst Rev. 2015; (9):CD004072. <https://dx.doi.org/10.1002/14651858.CD004072.pub3>.
- '24. Siega-Riz A.M., Adair L.S., Hobel C.J. Institute of Medicine maternal weight gain recommendations and pregnancy outcome in a predominantly Hispanic population. Obstet Gynecol. 1994; 84(4):565–73.
- '25. Abrams B., Altman S.L., Pickett K.E. Pregnancy weight gain: still controversial. Am J Clin Nutr. 2000; 71(5 Suppl):1233S-41S. <https://dx.doi.org/10.1093/ajcn/71.5.1233s>.
- '26. Tian C., Hu C., He X., Zhu M., Qin F., Liu Y., et al. Excessive weight gain during pregnancy and risk of macrosomia: a meta-analysis. Arch Gynecol Obstet. 2016; 293(1):29–35. <https://dx.doi.org/10.1007/s00404-015-3825-8>.
- '27. Goldstein R.F., Abell S.K., Ranasinha S., Misso M., Boyle J.A., Black M.H., et al. Association of Gestational Weight Gain With Maternal and Infant Outcomes: A Systematic Review and Meta-analysis. JAMA. 2017; 317(21):2207–25. <https://dx.doi.org/10.1001/jama.2017.3635>.
- '28. Johansson K., Hutcheon J.A., Bodnar L.M., Cnattingius S., Stephansson O. Pregnancy weight gain by gestational age and stillbirth: a population-based cohort study. BJOG. 2018; 125(8):973–81. <https://dx.doi.org/10.1111/1471-0528.15034>.
- '29. Mozurkewich E.L., Luke B., Avni M., Wolf F.M. Working conditions and adverse pregnancy outcome: a meta-analysis. Obstet Gynecol. 2000; 95(4):623–35.
- '30. Jurewicz J., Hanke W., Makowiec-Dabrowska T., Kalinka J. [Heaviness of the work measured by energy expenditure during pregnancy and its effect on birth weight]. Ginekol Pol. 2006; 77(7):537–42.
- '31. Hanke W., Saurel-Cubizolles M.J., Sobala W., Kalinka J. Employment status of pregnant women in central Poland and the risk of preterm delivery and small-for-gestational-age infants. Eur J Public Health. 2001; 11(1):23–8. <https://dx.doi.org/10.1093/eurpub/11.1.23>.
- '32. Roman E., Doyle P., Ansell P., Bull D., Beral V. Health of children born to medical radiographers. Occup Environ Med. 1996; 53(2):73–9. <https://dx.doi.org/10.1136/oem.53.2.73>.

- '33. Chavarro J.E., Rich-Edwards J.W., Gaskins A.J., Farland L. V, Terry K.L., Zhang C., et al. Contributions of the Nurses' Health Studies to Reproductive Health Research. *Am J Public Health*. 2016; 106(9):1669–76. <https://dx.doi.org/10.2105/AJPH.2016.303350>.
- '34. ACOG Committee Opinion No. 650: Physical Activity and Exercise During Pregnancy and the Postpartum Period. *Obstet Gynecol*. 2015; 126(6):e135-42. <https://dx.doi.org/10.1097/AOG.0000000000001214>.
- '35. Clapp J.F., Simonian S., Lopez B., Appleby-Wineberg S., Harcar-Sevcik R. The one-year morphometric and neurodevelopmental outcome of the offspring of women who continued to exercise regularly throughout pregnancy. *Am J Obstet Gynecol*. 1998; 178(3):594–9. [https://dx.doi.org/10.1016/s0002-9378\(98\)70444-2](https://dx.doi.org/10.1016/s0002-9378(98)70444-2).
- '36. Kramer M.S., McDonald S.W. Aerobic exercise for women during pregnancy. *Cochrane database Syst Rev*. 2006; (3):CD000180. <https://dx.doi.org/10.1002/14651858.CD000180.pub2>.
- '37. Artal R. Guidelines of the American College of Obstetricians and Gynecologists for exercise during pregnancy and the postpartum period. *Br J Sports Med*. 2003; 37(1):6–12. <https://dx.doi.org/10.1136/bjsm.37.1.6>.
- '38. Royal College of Obstetricians and Gynaecologists. Advice on preventing deep vein thrombosis for pregnant women travelling by air. Scientific Advisory Committee Opinion paper No. 1. London: RCOG. 2001; .
- '39. ACOG Committee on Obstetric Practice. ACOG Committee Opinion No. 443: Air travel during pregnancy. *Obstet Gynecol*. 2009; 114(4):954–5. <https://dx.doi.org/10.1097/AOG.0b013e3181bd1325>.
- '40. Scurr J.H., Machin S.J., Bailey-King S., Mackie I.J., McDonald S., Smith P.D. Frequency and prevention of symptomless deep-vein thrombosis in long-haul flights: a randomised trial. *Lancet* (London, England). 2001; 357(9267):1485–9. [https://dx.doi.org/10.1016/S0140-6736\(00\)04645-6](https://dx.doi.org/10.1016/S0140-6736(00)04645-6).
- '41. Clarke M., Hopewell S., Juszczak E., Eisinga A., Kjeldstrøm M. Compression stockings for preventing deep vein thrombosis in airline passengers. *Cochrane database Syst Rev*. 2006; (2):CD004002. <https://dx.doi.org/10.1002/14651858.CD004002.pub2>.
- '42. Klinich K.D., Schneider L.W., Moore J.L., Pearlman M.D. Investigations of crashes involving pregnant occupants. *Annu proceedings Assoc Adv Automot Med*. 2000; 44:37–55.
- '43. Crosby W.M., Costiloe J.P. Safety of lap-belt restraint for pregnant victims of automobile collisions. *N Engl J Med*. 1971; 284(12):632–6. <https://dx.doi.org/10.1056/NEJM197103252841203>.
- '44. Lewis G, Drife J E. Why mothers die 1997–1999: The fifth report of the Confidential Enquiries into Maternal Deaths in the United Kingdom. RCOG Press; 2001.

- '45. Arroyo V., Linares C., Díaz J. Premature births in Spain: Measuring the impact of air pollution using time series analyses. *Sci Total Environ.* 2019; 660:105–14. <https://dx.doi.org/10.1016/j.scitotenv.2018.12.470>.
- '46. Pedersen M., Stayner L., Slama R., Sørensen M., Figueras F., Nieuwenhuijsen M.J., et al. Ambient air pollution and pregnancy-induced hypertensive disorders: a systematic review and meta-analysis. *Hypertens (Dallas, Tex 1979).* 2014; 64(3):494–500. <https://dx.doi.org/10.1161/HYPERTENSIONAHA.114.03545>.
- '47. Quansah R., Armah F.A., Esumang D.K., Luginaah I., Clarke E., Marfoh K., et al. Association of arsenic with adverse pregnancy outcomes/infant mortality: a systematic review and meta-analysis. *Environ Health Perspect.* 2015; 123(5):412–21. <https://dx.doi.org/10.1289/ehp.1307894>.
- '48. Pergialiotis V., Kotrogianni P., Christopoulos-Timogiannakis E., Koutaki D., Daskalakis G., Papantoniou N. Bisphenol A and adverse pregnancy outcomes: a systematic review of the literature. *J Matern Fetal Neonatal Med.* 2018; 31(24):3320–7. <https://dx.doi.org/10.1080/14767058.2017.1368076>.
- '49. Committee on Obstetric Practice. Committee opinion No. 533: lead screening during pregnancy and lactation. *Obstet Gynecol.* 2012; 120(2 Pt 1):416–20. <https://dx.doi.org/10.1097/AOG.0b013e31826804e8>.
- '50. Carmona R., Gerberding J. The Health Consequences of Smoking: A Report of the Surgeon General (28th Edition). ed. Health and Human Services Dept., Public Health Service, Office of the Surgeon General. Washington, DC: Agency, Healthcare Research and Quality; 2004. 955 p.
- '51. Salmasi G., Grady R., Jones J., McDonald S.D., Knowledge Synthesis Group. Environmental tobacco smoke exposure and perinatal outcomes: a systematic review and meta-analyses. *Acta Obstet Gynecol Scand.* 2010; 89(4):423–41. <https://dx.doi.org/10.3109/00016340903505748>.
- '52. Castles A., Adams E.K., Melvin C.L., Kelsch C., Boulton M.L. Effects of smoking during pregnancy. Five meta-analyses. *Am J Prev Med.* 1999; 16(3):208–15. [https://dx.doi.org/10.1016/s0749-3797\(98\)00089-0](https://dx.doi.org/10.1016/s0749-3797(98)00089-0).
- '53. Dietz P.M., England L.J., Shapiro-Mendoza C.K., Tong V.T., Farr S.L., Callaghan W.M. Infant morbidity and mortality attributable to prenatal smoking in the U.S. *Am J Prev Med.* 2010; 39(1):45–52. <https://dx.doi.org/10.1016/j.amepre.2010.03.009>.
- '54. Li Y.-F., Langholz B., Salam M.T., Gilliland F.D. Maternal and grandmaternal smoking patterns are associated with early childhood asthma. *Chest.* 2005; 127(4):1232–41. <https://dx.doi.org/10.1378/chest.127.4.1232>.
- '55. Søndergaard C., Henriksen T.B., Obel C., Wisborg K. Smoking during pregnancy and infantile colic. *Pediatrics.* 2001; 108(2):342–6. <https://dx.doi.org/10.1542/peds.108.2.342>.

- '56. von Kries R., Toschke A.M., Koletzko B., Slikker W. Maternal smoking during pregnancy and childhood obesity. *Am J Epidemiol.* 2002; 156(10):954–61. <https://dx.doi.org/10.1093/aje/kwf128>.
- '57. American College of Obstetricians and Gynecologists. Committee on Health Care for Underserved Women. Committee opinion no. 496: At-risk drinking and alcohol dependence: obstetric and gynecologic implications. *Obstet Gynecol.* 2011; 118(2 Pt 1):383–8. <https://dx.doi.org/10.1097/AOG.0b013e31822c9906>.
- '58. Williams J.F., Smith V.C., Committee on substance abuse. Fetal Alcohol Spectrum Disorders. *Pediatrics.* 2015; 136(5):e1395-406. <https://dx.doi.org/10.1542/peds.2015-3113>.
- '59. Tobiasz A.M., Duncan J.R., Bursac Z., Sullivan R.D., Tate D.L., Dopico A.M., et al. The Effect of Prenatal Alcohol Exposure on Fetal Growth and Cardiovascular Parameters in a Baboon Model of Pregnancy. *Reprod Sci.* 2018; 25(7):1116–23. <https://dx.doi.org/10.1177/1933719117734317>.
- '60. Seleverstov O., Tobiasz A., Jackson J.S., Sullivan R., Ma D., Sullivan J.P., et al. Maternal alcohol exposure during mid-pregnancy dilates fetal cerebral arteries via endocannabinoid receptors. *Alcohol.* 2017; 61(61):51–61. <https://dx.doi.org/10.1016/j.alcohol.2017.01.014>.
- '61. Lo J.O., Schabel M.C., Roberts V.H.J., Wang X., Lewandowski K.S., Grant K.A., et al. First trimester alcohol exposure alters placental perfusion and fetal oxygen availability affecting fetal growth and development in a non-human primate model. *Am J Obstet Gynecol.* 2017; 216(3):302.e1-302.e8. <https://dx.doi.org/10.1016/j.ajog.2017.01.016>.
- '62. Tan C., Zhao Y., Wang S. Is a vegetarian diet safe to follow during pregnancy? A systematic review and meta-analysis of observational studies. *Crit Rev Food Sci Nutr.* 2018; :1–40. <https://dx.doi.org/10.1080/10408398.2018.1461062>.
- '63. Chen L.-W., Wu Y., Neelakantan N., Chong M.F.-F., Pan A., van Dam R.M. Maternal caffeine intake during pregnancy is associated with risk of low birth weight: a systematic review and dose-response meta-analysis. *BMC Med.* 2014; 12(1):174. <https://dx.doi.org/10.1186/s12916-014-0174-6>.
- '64. Rhee J., Kim Y., Tam M., Lai Y., Keum N., et al. Maternal Caffeine Consumption during Pregnancy and Risk of Low Birth Weight: A Dose-Response Meta-Analysis of Observational Studies. Zhang B, editor. *PLoS One.* 2015; 10(7):e0132334. <https://dx.doi.org/10.1371/journal.pone.0132334>.
- '65. Chen L.-W., Wu Y., Neelakantan N., Chong M.F.-F., Pan A., van Dam R.M. Maternal caffeine intake during pregnancy and risk of pregnancy loss: a categorical and dose-response meta-analysis of prospective studies. *Public Health Nutr.* 2016; 19(07):1233–44. <https://dx.doi.org/10.1017/S1368980015002463>.
- '66. Li J., Zhao H., Song J.-M., Zhang J., Tang Y.-L., Xin C.-M. A meta-analysis of risk of pregnancy loss and caffeine and coffee consumption during pregnancy. *Int J Gynecol Obstet.* 2015; 130(2):116–22. <https://dx.doi.org/10.1016/j.ijgo.2015.03.033>.

- !67. Ramón R., Ballester F., Aguinagalde X., Amurrio A., Vioque J., Lacasaña M., et al. Fish consumption during pregnancy, prenatal mercury exposure, and anthropometric measures at birth in a prospective mother-infant cohort study in Spain. *Am J Clin Nutr.* 2009; 90(4):1047–55. <https://dx.doi.org/10.3945/ajcn.2009.27944>.
- !68. ACOG Practice Advisory: Update on Seafood Consumption During Pregnancy. 2017.
- !69. Rothman K.J., Moore L.L., Singer M.R., Nguyen U.S., Mannino S., Milunsky A. Teratogenicity of high vitamin A intake. *N Engl J Med.* 1995; 333(21):1369–73. <https://dx.doi.org/10.1056/NEJM199511233332101>.
- !70. Здоровое питание. Информационный бюллетень. Женева: Всемирная организация здравоохранения. 31 августа 2018 г. [<https://www.who.int/ru/news-room/fact-sheets/detail/healthy-diet>].
- !71. Southwick F.S., Purich D.L. Intracellular pathogenesis of listeriosis. *N Engl J Med.* 1996; 334(12):770–6. <https://dx.doi.org/10.1056/NEJM199603213341206>.
- !72. British Nutrition Foundation. Nutrition through life. Pregnancy and pre-conception. [<https://www.nutrition.org.uk/nutritiionscience/life/pregnancy-and-pre-conception.html>].
- !73. National Institute for Clinical Excellence. Guidance on the use of routine antenatal anti-D prophylaxis for RhD-negative women. Technology Appraisal Guidance, No. 41. London: National Institute for Clinical Excellence; 2002.
- !74. Brandenburg H., Jahoda M.G., Pijpers L., Vladimiroff J.W. Rhesus sensitization after midtrimester genetic amniocentesis. *Am J Med Genet.* 1989; 32(2):225–6. <https://dx.doi.org/10.1002/ajmg.1320320216>.
- !75. Hill L.M., Platt L.D., Kellogg B. Rh sensitization after genetic amniocentesis. *Obstet Gynecol.* 1980; 56(4):459–61.
- !76. Hensleigh P.A., Cann H. Rh sensitization after genetic amniocentesis. *Obstet Gynecol.* 1981; 58(1):136.
- !77. МУ 3.3.1.1095-02. 3.3.1. Вакцинопрофилактика. Медицинские противопоказания к проведению профилактических прививок препаратами национального календаря прививок. Методические указания" (утв. Главным государственным санитарным врачом РФ 09.01.2002).
- !78. Iwata A., Kurasawa K., Kubota K., Odagami M., Aoki S., Okuda M., et al. Factors Predicting Rubella Vaccination and Antibody in Pregnant Women in Japan: A Report from Pregnant Women Health Initiative. *Vaccines.* 2022; 10(5):638. <https://dx.doi.org/10.3390/vaccines10050638>.
- !79. Tempfer C. Impfungen für Schwangere und Frauen mit Kinderwunsch. *Gynäkologische Endokrinol.* 2022; 20(2):93–100. <https://dx.doi.org/10.1007/s10304-022-00439-5>.

- '80. Coppeta L., Ferrari C., Iannuzzi I., D'Alessandro I., Balbi O., Pietrojasti A., et al. Rubella Immunity among Italian Female Healthcare Workers: A Serological Study. *Int J Environ Res Public Health.* 2020; 17(21):7992. <https://dx.doi.org/10.3390/ijerph17217992>.
- '81. Методические рекомендации. Оказание медицинской помощи беременным, роженицам, родильницам и новорожденным при новой коронавирусной инфекции COVID-19. Версия 5, 28.12.2021.
- '82. ECDC scientific advice on seasonal influenza vaccination of children and pregnant women: ECDC Technical report/ European Centre for Disease Prevention and Control. Stockholm: ECDC. 2012:68.
- '83. Вакцинация беременных против гриппа. Федеральные клинические рекомендации. 2015 г.
- '84. Martinez L E. World Health Organization. Special groups. International Travel and Health. Geneva: World Health Organization. 2002.
- '85. Hurley P. International travel and the pregnant women. Progress in Obstetrics and Gynaecology. In: Studd J E, editor. Edinburgh: Churchill Livingstone; 2003. p. 45–55.
- '86. Вакцины и иммунопрофилактика в современном мире: руководство для врачей / под ред. Л.С. Намазовой-Барановой, Н.И. Брико, И.В. Фельдблюм. — М.: ПедиатрЪ, 2021. — 646 с.
- '87. World Health Organization. Global advisory committee on vaccine safety. Safety of immunization during pregnancy. A review of the evidence. 2014. <https://www.who.int/publications/i/item/WHO-HIS-2014-07>. World Health Organization. Global vaccine safety: men.
- '88. WHO Pertussis vaccines: WHO position paper. — August 2015. *Weekly Epidemiol Red.* 2015; 90 (35): 433–460 Available: <https://www.who.int/publications/i/item/WHO-WER9035>.
- '89. Методические рекомендации по выявлению, расследованию и профилактике побочных проявлений после иммунизации (утв. Минздравом России 12.04.2019) 56 с.
- '90. Иммунизация взрослых. Методические рекомендации. / О.М. Драпкина, Н.И. Брико, М.П. Костинов, И.В. Фельдблюм [и др.]. — М., ФГБУ «НМИЦ ТПМ» Минздрава России: 2020. — 248 с.